
ClimaRad Ventura V1C-C


This ventilation unit with heat recovery offers everything required to provide rooms with a healthy and comfortable indoor climate. The device is guaranteed to be applicable thanks to multiple connection options to the facade, is highly suitable for facades exposed to noise and can be integrated in the wall.

The ClimaRad Ventura V1C-C consists of a ventilation unit with convectors enabling the unit to ventilate, heat and cool individual rooms. The Ventura V1C-C was developed for the non-residential market, given that there is increasing demand for active cooling and (very) low temperature heating in the health care sector and in offices. Of particular benefit with this device is high speed cooling and heating, which is not possible with underfloor heating and cooling systems.

A particular feature of this unit is its ability to cool below the dew point, as the unit includes a condensate drain.

This WTW unit is also available with Modbus module.





ClimaRad Ventura V1C-C

Dimensions:	520x2587x254 mm (wxhxd)		
Connections:	2x Ø 152 mm		
Ventilation output:	170 m³/h		
Sensors:	CO ₂ (demand controlled), RV, RF, pressure indicators, Tbi, Tbui, Twater		
Connected power load:	195 W (230 VAC/50Hz)		
Electrical protection class:	Klasse I		
Specific input power (SPI):	0,1 W/(m³/h)		
Standby consumption:	< 1 W		
Heat exchanger:	Counter-current to 90% yield		
Valves:	Automatically closing valves for supply and output		
Application in high-rise buildings:	Up to 80 metres		
Air filters:	ePM10-70%		
Energy label:	A+		
Weight:	80 kg		



Outputs integrated convector

		ventilator speed			
		Normaal	Medium	Boost	
Heat outputs (Watt)	75/65/20°C	3451	4559	6707	
	55/45/20°C	2070	2735	4024	
	35/30/20°C	863	1140	1677	
Cooling outputs (Watt)	7/12/26°C	1361	1724	2329	
	16/18/26°C	742	940	1270	

The operating principle



The advantages:

- 100% applicability thanks to connection options and no parapet required
- · Possibility of heating and cooling at high speed
- Suitable for facades exposed to noise
- Draught-free ventilation guaranteed in high-rise buildings
- Condensate drain

